



Labelling Machine

PT-N25BT

www.brother.eu

Bluetooth labelling machine

Compact, lightweight easy-to-use labelling machine. Perfect for all round home and office organisation, labels can be created quickly and effortlessly ondemand using the built-in keyboard. Alternatively, connect to a smartphone via Bluetooth and print labels using Brother's Design&Print2 App.


With a range of fonts and frames to play with, symbols to spark the imagination and a variety of coloured tapes to choose from, labels can be fully personalised to suit individual taste.

PT-N25BT



Key features:

- Design and print labels using the built-in QWERTY keyboard
- Bluetooth connectivity to print labels directly from a smartphone using Brother's Design&Print2 App
- Graphic display to preview labels before printing
- Choose from 3 fonts, 15 frames and 250 symbols to customise labels
- Access to a wide range of ready-to-print label templates for all round home organisation using the free App
- Print 12mm Btag labels in a variety of colours
- Easy-to-use manual cutter





General

Carton contents

PT-N25BT Labelling machine, 12mm black on white Btag tape (4m long), user guide

Language support

20 (English, German, French, Spanish, Portuguese, Portuguese (Bra), Italian, Dutch, Danish, Norwegian, Swedish, Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Turkish)

Weights & Dimensions

Machine only (W) x (D) x (H) 152mm x 150mm x 72mm Weight (Kg) 0.47kg

Printing

Print resolution

180 dpi / 64 dots

Max. print speed

12mm/sec

Max. print width (mm)

12mm

Max. print height (mm)

9mm

Cutter

Manual

Cutter typeCutter Blade

Design

Design type

Desktop

Housing colour

White & Blue

Keyboard

QWERTY, QWERTZ, AZERTY

Keyboard material

Rubber

Key print

lcon

Number of keys

58

Display

LCD Size

58mm x 24mm

LCD Specification

Graphic, 128 x 16 dots

LCD Contrast

Yes (-2, -1, 0, +1, +2)

Preview

Yes (Real preview)

Text viewable within LCD

16 chrs x 1 line

Power Supply

Batteries

AAA x 6pcs (LR03/Ni-MH)

Not included

AC Adapter

AD-24ES

AC Adapter

~5min

Connectivity

Interfaces

Bluetooth (Low Energy)

App compatibility

P-touch Design&Print 2

iOS/Android

Memory

Label memory locations

10

Label Design

Number of Characters (without space)

150

Number of Accented-

Alphabets

147

Number of Symbols

250

Character Size

Large / Medium / Small

Character Widths

3 Kinds (x1/2, x1, x2)

Fonts

3 kinds

(Helsinki, Brussels, Berlin)

Character Style

7 Kinds

(Normal/Bold/Outline/Shadow/Italic/Italic Bold/Vertical)

Frame

15

Underline

Yes

Label Format

Text Buffer

Max. 80 chrs

Multi Line Printing (Max)

2 lines

Minimum Label Length

26mm

Tape length setting

Yes

Standalone (30mm)
Bluetooth (30-300mm)

Tape margin settings

Yes (20mm, 12mm, 4mm, chain)

Horizontal Alignment

Left, Centre

Text insert/overwrite

Insert only

Printing (Software)

Copy (Repeat) Printing

Yes (1-20)

Mirror Printing

Yes

Numbering

Yes (1-10)

Print Preview

Yes

Vertical Printing

Yes